

*PREVALENCE ESTIMATES FOR HEALTHY NEW JERSEY 2010 OBJECTIVES FROM THE NEW JERSEY BEHAVIORAL RISK FACTOR SURVEY*

*Cape May County*

General Health Status (HNJ 2010 Objective 1.3)	1
Ability Days (HNJ 2010 Objective 1.4)	2
Ability Days (HNJ 2010 Objective 1.4)	3
Recency of Last Dental Visit (HNJ 2010 Objective 2.4)	4
Fruit and Vegetable Intake (HNJ 2010 Objective 3D.1)	5
NIH Weight Classification (HNJ 2010 Objective 3D.2)	6
NIH Weight Classification (HNJ 2010 Objective 3D.2) by Sex	7
NIH Weight Classification (HNJ 2010 Objective 3D.3)	8
NIH Weight Classification (HNJ 2010 Objective 3D.3) by Sex	9
Leisure Time Physical Activity (Healthy People Objective 22-1)	10
Leisure Time Physical Activity (Healthy People Objective 22-1)	11
Moderate Physical Activity (Healthy People Objective 22-2)	12
Moderate Physical Activity (Healthy People Objective 22-2)	13
General Health Status (HNJ 2010 Objective 3G.2)	14
Pneumococcal Vaccination (HNJ 2010 Objective 3G.3)	15
Influenza Vaccination (HNJ 2010 Objective 3G.4)	16
Cholesterol Screening (HNJ 2010 Objective 4A.3)	17
Diabetic Eye Examinations (HNJ 2010 Objective 4B.5)	18
Diabetic Eye Examinations (HNJ 2010 Objective 4B.5) by Sex	19
Hemoglobin A1C Testing (HNJ 2010 Objective 4B.8)	20
Hemoglobin A1C Testing (HNJ 2010 Objective 4B.8) by Sex	21
Breast Cancer Screening (HNJ 2010 Objective 4C.2)	22
Breast Cancer Screening (HNJ 2010 Objective 4C.2)	23
Cervical Cancer Screening (HNJ 2010 Objective 4C.5)	24
Cervical Cancer Screening (HNJ 2010 Objective 4C.5)	25
Colorectal Cancer Screening (HNJ 2010 Objective 4C.10)	26
Colorectal Cancer Screening (HNJ 2010 Objective 4C.10)	27
Good Mental Health Days (HNJ 2010 Objective 4E.1)	28
Good Mental Health Days (HNJ 2010 Objective 4E.1)	29
Current Smoking (HNJ 2010 Objective 4F.5)	30
Current Smoking (HNJ 2010 Objective 4F.5)	31
Acute Drinking (HNJ 2010 Objective 4F.6)	32

**GENERAL HEALTH STATUS**  
 Response Category: GOOD/VG/EXCELLENT  
 Population: ALL ADULTS\*

Stratum (Subgroup)					Estimated Prevalence				
					Number	Percent	Margin of Error*** for Percent	95% CL for Percent	
								lower	upper
Sample Size**	Small N	Weighted Size							
ANY RACIAL/ETHNIC CLASSIFICATION	COMBINED YEARS	396		99,236	85,622	86.3	± 3.7	82.1	89.6
	2003	193		.	.	86.0	± 5.1	80.1	90.4
	2004	203		.	.	86.5	± 5.5	80.0	91.2
Asian/Pacific Islander only, non-Hispanic	COMBINED YEARS	1	****	142	142	100.0	.	.	100.0
	2003	1	****	.	.	100.0	.	.	100.0
	2004	0	****	.	.	.	.	.	.
Black only, non-Hispanic	COMBINED YEARS	17	****	5,048	3,915	77.6	± 19.8	52.5	91.5
	2003	11	****	.	.	83.3	± 21.7	51.0	96.0
	2004	6	****	.	.	67.1	± 37.8	26.8	91.9
White only, non-Hispanic	COMBINED YEARS	360		88,358	78,393	88.7	± 3.3	84.9	91.7
	2003	174		.	.	85.7	± 5.4	79.3	90.3
	2004	186		.	.	91.8	± 3.8	87.1	94.9
Other, non-Hispanic	COMBINED YEARS	5	****	896	438	48.9	± 47.2	12.6	86.4
	2003	2	****	.	.	100.0	.	.	100.0
	2004	3	****	.	.	31.3	± 52.6	3.8	84.1
Hispanic	COMBINED YEARS	13	****	4,792	2,734	57.1	± 31.1	27.1	82.6
	2003	5	****	.	.	100.0	.	.	100.0
	2004	8	****	.	.	39.8	± 35.9	12.9	74.7

\*Spanish-language interviewing began in 1999.

\*\*Refused/Unknown outcome responses have been excluded from the analysis.

\*\*\*The 'margin of (sampling) error' is equal to the standard error of the estimate multiplied by ±=1.96.

\*\*\*\*Does not meet CDCs minimum sample size criterion (i.e., N<50).

**NUMBER OF ABILITY DAYS IN PAST MONTH**  
 Response Category: MEAN  
 Population: ALL ADULTS\*

Stratum (Subgroup)		Sample Size**	Small N	Weighted Size	Weighted Mean	Margin of Error*** for Mean	95% CL for Mean	
							lower	upper
ANY RACIAL/ETHNIC CLASSIFICATION	COMBINED YEARS	395		98,550	27.9	± 0.7	27.1	28.6
	2003	192		.	27.8	± 1.2	26.6	29.1
	2004	203		.	27.9	± 0.9	26.9	28.8
Asian/Pacific Islander only, non-Hispanic	COMBINED YEARS	1	****	142	30.0	± 0.0	30.0	30.0
	2003	1	****	.	30.0	± 0.0	30.0	30.0
	2004	0	****	.	.	.	.	.
Black only, non-Hispanic	COMBINED YEARS	17	****	5,048	27.9	± 2.6	25.2	30.6
	2003	11	****	.	26.8	± 4.0	22.7	30.8
	2004	6	****	.	30.0	± 0.0	30.0	30.0
White only, non-Hispanic	COMBINED YEARS	359		87,672	28.0	± 0.7	27.2	28.8
	2003	173		.	27.8	± 1.3	26.5	29.2
	2004	186		.	28.2	± 0.8	27.4	29.1
Other, non-Hispanic	COMBINED YEARS	5	****	896	18.8	± 9.8	9.0	28.6
	2003	2	****	.	29.4	± 0.6	28.7	30.1
	2004	3	****	.	15.1	± 11.1	4.0	26.3
Hispanic	COMBINED YEARS	13	****	4,792	25.9	± 3.7	22.1	29.7
	2003	5	****	.	30.0	± 0.0	30.0	30.0
	2004	8	****	.	24.3	± 5.0	19.2	29.3

\*Spanish-language interviewing began in 1999.

\*\*Refused/Unknown outcome responses have been excluded from the analysis.

\*\*\*The 'margin of (sampling) error' is equal to the standard error of the estimate multiplied by  $\pm=1.96$ .

\*\*\*\*Does not meet CDCs minimum sample size criterion (i.e.,  $N<50$ ).

**NUMBER OF ABILITY DAYS IN PAST MONTH**  
**Response Category: MEAN**

**Population: ADULTS AGED 65 AND OVER\***

Stratum (Subgroup)		Sample Size**	Small N	Weighted Size	Weighted Mean	Margin of Error***	95% CL for Mean	
							lower	upper
<b>ANY RACIAL/ETHNIC CLASSIFICATION</b>	<b>COMBINED YEARS</b>	135		28,234	27.1	± 1.9	25.2	29.1
	<b>2003</b>	59		.	25.9	± 3.7	22.2	29.6
	<b>2004</b>	76		.	28.2	± 1.3	26.8	29.5
<b>Asian/Pacific Islander only, non-Hispanic</b>	<b>COMBINED YEARS</b>	0	****	0	.	.	.	.
	<b>2003</b>	0	****	.	.	.	.	.
	<b>2004</b>	0	****	.	.	.	.	.
<b>Black only, non-Hispanic</b>	<b>COMBINED YEARS</b>	4	****	1,264	24.7	± 9.9	14.7	34.6
	<b>2003</b>	3	****	.	22.0	± 14.0	7.9	36.1
	<b>2004</b>	1	****	.	30.0	± 0.0	30.0	30.0
<b>White only, non-Hispanic</b>	<b>COMBINED YEARS</b>	128		26,359	27.4	± 1.9	25.5	29.4
	<b>2003</b>	55		.	26.1	± 3.9	22.2	30.1
	<b>2004</b>	73		.	28.5	± 1.1	27.3	29.7
<b>Other, non-Hispanic</b>	<b>COMBINED YEARS</b>	1	****	209	30.0	± 0.0	30.0	30.0
	<b>2003</b>	0	****	.	.	.	.	.
	<b>2004</b>	1	****	.	30.0	± 0.0	30.0	30.0
<b>Hispanic</b>	<b>COMBINED YEARS</b>	2	****	402	14.3	± 16.1	-1.9	30.5
	<b>2003</b>	1	****	.	30.0	± 0.0	30.0	30.0
	<b>2004</b>	1	****	.	5.0	± 0.0	5.0	5.0

\*Spanish-language interviewing began in 1999.

\*\*Refused/Unknown outcome responses have been excluded from the analysis.

\*\*\*The 'margin of (sampling) error' is equal to the standard error of the estimate multiplied by ±1.96.

\*\*\*\*Does not meet CDCs minimum sample size criterion (i.e., N<50).

**REGENCY OF LAST DENTAL EXAM**

**Response Category: IN PAST YEAR**

**Population: ALL ADULTS\***

Stratum (Subgroup)					Estimated Prevalence				
					Number	Percent	Margin of Error*** for Percent	95% CL for Percent	
								lower	upper
Sample Size**	Small N	Weighted Size							
<b>ANY RACIAL/ETHNIC CLASSIFICATION</b>	<b>COMBINED YEARS</b>	204		49,550	36,720	74.1	± 7.1	66.4	80.6
	<b>2003</b>	0	****	.	.	.	.	.	.
	<b>2004</b>	204		.	.	74.1	± 7.1	66.4	80.6
<b>Asian/Pacific Islander only, non-Hispanic</b>	<b>COMBINED YEARS</b>	0	****	0	0	.	.	.	.
	<b>2003</b>	0	****	.	.	.	.	.	.
	<b>2004</b>	0	****	.	.	.	.	.	.
<b>Black only, non-Hispanic</b>	<b>COMBINED YEARS</b>	5	****	1,543	531	34.5	± 40.7	8.0	76.1
	<b>2003</b>	0	****	.	.	.	.	.	.
	<b>2004</b>	5	****	.	.	34.5	± 40.7	8.0	76.1
<b>White only, non-Hispanic</b>	<b>COMBINED YEARS</b>	188		43,924	34,464	78.5	± 6.7	71.0	84.4
	<b>2003</b>	0	****	.	.	.	.	.	.
	<b>2004</b>	188		.	.	78.5	± 6.7	71.0	84.4
<b>Other, non-Hispanic</b>	<b>COMBINED YEARS</b>	3	****	667	309	46.4	± 59.9	7.2	90.6
	<b>2003</b>	0	****	.	.	.	.	.	.
	<b>2004</b>	3	****	.	.	46.4	± 59.9	7.2	90.6
<b>Hispanic</b>	<b>COMBINED YEARS</b>	8	****	3,417	1,415	41.4	± 36.6	13.5	76.2
	<b>2003</b>	0	****	.	.	.	.	.	.
	<b>2004</b>	8	****	.	.	41.4	± 36.6	13.5	76.2

\*Spanish-language interviewing began in 1999.

\*\*Refused/Unknown outcome responses have been excluded from the analysis.

\*\*\*The 'margin of (sampling) error' is equal to the standard error of the estimate multiplied by ±=1.96.

\*\*\*\*Does not meet CDCs minimum sample size criterion (i.e., N<50).

**SUMMARY INDEX OF FRUIT AND VEGETABLE INTAKE**

Response Category: 5 OR MORE TIMES PER DAY

Population: ALL ADULTS\*

Stratum (Subgroup)		Estimated Prevalence							
		Sample Size**	Small N	Weighted Size	Number	Percent	Margin of Error*** for Percent	95% CL for Percent	
								lower	upper
<b>ANY RACIAL/ETHNIC CLASSIFICATION</b>	<b>COMBINED YEARS</b>	193		49,680	15,248	30.7	± 7.8	23.4	39.0
	<b>2003</b>	193		.	.	30.7	± 7.8	23.4	39.0
	<b>2004</b>	0	****	.	.	.	.	.	.
<b>Asian/Pacific Islander only, non-Hispanic</b>	<b>COMBINED YEARS</b>	1	****	142	0	0.0	.	0.0	.
	<b>2003</b>	1	****	.	.	0.0	.	0.0	.
	<b>2004</b>	0	****	.	.	.	.	.	.
<b>Black only, non-Hispanic</b>	<b>COMBINED YEARS</b>	11	****	3,258	808	24.8	± 25.9	7.6	57.0
	<b>2003</b>	11	****	.	.	24.8	± 25.9	7.6	57.0
	<b>2004</b>	0	****	.	.	.	.	.	.
<b>White only, non-Hispanic</b>	<b>COMBINED YEARS</b>	174		44,676	14,347	32.1	± 8.4	24.3	41.1
	<b>2003</b>	174		.	.	32.1	± 8.4	24.3	41.1
	<b>2004</b>	0	****	.	.	.	.	.	.
<b>Other, non-Hispanic</b>	<b>COMBINED YEARS</b>	2	****	229	93	40.5	± 66.7	4.1	91.6
	<b>2003</b>	2	****	.	.	40.5	± 66.7	4.1	91.6
	<b>2004</b>	0	****	.	.	.	.	.	.
<b>Hispanic</b>	<b>COMBINED YEARS</b>	5	****	1,375	0	0.0	.	0.0	.
	<b>2003</b>	5	****	.	.	0.0	.	0.0	.
	<b>2004</b>	0	****	.	.	.	.	.	.

\*Spanish-language interviewing began in 1999.

\*\*Refused/Unknown outcome responses have been excluded from the analysis.

\*\*\*The 'margin of (sampling) error' is equal to the standard error of the estimate multiplied by ±=1.96.

\*\*\*\*Does not meet CDCs minimum sample size criterion (i.e., N<50).

**WEIGHT CLASSIFICATION BASED ON BMI (NIH DEFINITION)**

Response Category: OVERWEIGHT (NON-OBESE)

Population: ALL ADULTS\*

Stratum (Subgroup)					Estimated Prevalence				
					Number	Percent	Margin of Error*** for Percent	95% CL for Percent	
								lower	upper
Sample Size**	Small N	Weighted Size							
ANY RACIAL/ETHNIC CLASSIFICATION	COMBINED YEARS	375		93,919	40,678	43.3	± 5.8	37.6	49.2
	2003	182		.	.	39.5	± 8.4	31.5	48.2
	2004	193		.	.	47.1	± 8.0	39.2	55.2
Asian/Pacific Islander only, non-Hispanic	COMBINED YEARS	1	****	142	0	0.0	.	0.0	.
	2003	1	****	.	.	0.0	.	0.0	.
	2004	0	****	.	.	.	.	.	.
Black only, non-Hispanic	COMBINED YEARS	17	****	5,048	2,267	44.9	± 24.4	23.3	68.6
	2003	11	****	.	.	35.2	± 29.2	13.1	66.2
	2004	6	****	.	.	62.6	± 40.6	22.8	90.5
White only, non-Hispanic	COMBINED YEARS	339		83,041	35,927	43.3	± 6.1	37.2	49.5
	2003	163		.	.	40.5	± 9.0	31.9	49.8
	2004	176		.	.	46.1	± 8.3	37.9	54.5
Other, non-Hispanic	COMBINED YEARS	5	****	896	595	66.4	± 42.8	22.4	93.1
	2003	2	****	.	.	59.5	± 66.7	8.4	95.9
	2004	3	****	.	.	68.7	± 52.6	15.9	96.2
Hispanic	COMBINED YEARS	13	****	4,792	1,889	39.4	± 29.0	16.2	68.7
	2003	5	****	.	.	19.9	± 35.3	2.6	69.5
	2004	8	****	.	.	47.3	± 37.8	16.4	80.4

\*Spanish-language interviewing began in 1999.

\*\*Refused/Unknown outcome responses have been excluded from the analysis.

\*\*\*The 'margin of (sampling) error' is equal to the standard error of the estimate multiplied by ±=1.96.

\*\*\*\*Does not meet CDCs minimum sample size criterion (i.e., N<50).

**WEIGHT CLASSIFICATION BASED ON BMI (NIH DEFINITION)**

**Response Category: OVERWEIGHT (NON-OBESE)**

**Population: ALL ADULTS\***

Stratum (Subgroup)		Estimated Prevalence							
		Sample Size**	Small N	Weighted Size	Number	Percent	Margin of Error*** for Percent	95% CL for Percent	
								lower	upper
<b>EITHER SEX</b>	<b>COMBINED YEARS</b>	377		94,223	40,815	43.3	± 5.8	37.6	49.2
	<b>2003</b>	183		.	.	39.4	± 8.4	31.3	48.0
	<b>2004</b>	194		.	.	47.3	± 8.0	39.4	55.3
<b>Male</b>	<b>COMBINED YEARS</b>	148		40,872	21,486	52.6	± 9.2	43.4	61.6
	<b>2003</b>	76		.	.	45.7	± 12.9	33.3	58.6
	<b>2004</b>	72		.	.	60.3	± 12.7	47.1	72.2
<b>Female</b>	<b>COMBINED YEARS</b>	229		53,351	19,329	36.2	± 7.3	29.2	43.9
	<b>2003</b>	107		.	.	34.1	± 11.0	24.0	45.8
	<b>2004</b>	122		.	.	38.2	± 9.9	28.9	48.5

\*Spanish-language interviewing began in 1999.

\*\*Refused/Unknown outcome responses have been excluded from the analysis.

\*\*\*The 'margin of (sampling) error' is equal to the standard error of the estimate multiplied by  $\pm=1.96$ .

\*\*\*\*Does not meet CDCs minimum sample size criterion (i.e.,  $N<50$ ).



**WEIGHT CLASSIFICATION BASED ON BMI (NIH DEFINITION)**

**Response Category: OBESE**

**Population: ALL ADULTS\***

Stratum (Subgroup)					Estimated Prevalence				
					Number	Percent	Margin of Error*** for Percent	95% CL for Percent	
								lower	upper
Sample Size**	Small N	Weighted Size							
<b>ANY RACIAL/ETHNIC CLASSIFICATION</b>	<b>COMBINED YEARS</b>	375		93,919	17,704	18.9	± 4.3	14.9	23.5
	<b>2003</b>	182		.	.	18.6	± 6.1	13.2	25.6
	<b>2004</b>	193		.	.	19.1	± 6.0	13.7	25.8
<b>Asian/Pacific Islander only, non-Hispanic</b>	<b>COMBINED YEARS</b>	1	****	142	0	0.0	.	0.0	.
	<b>2003</b>	1	****	.	.	0.0	.	0.0	.
	<b>2004</b>	0	****	.	.	.	.	.	.
<b>Black only, non-Hispanic</b>	<b>COMBINED YEARS</b>	17	****	5,048	1,385	27.4	± 23.3	10.5	55.0
	<b>2003</b>	11	****	.	.	34.9	± 31.3	11.9	68.1
	<b>2004</b>	6	****	.	.	13.8	± 25.6	1.8	58.1
<b>White only, non-Hispanic</b>	<b>COMBINED YEARS</b>	339		83,041	14,864	17.9	± 4.3	13.9	22.7
	<b>2003</b>	163		.	.	16.4	± 6.0	11.2	23.4
	<b>2004</b>	176		.	.	19.4	± 6.3	13.8	26.5
<b>Other, non-Hispanic</b>	<b>COMBINED YEARS</b>	5	****	896	209	23.3	± 40.0	3.1	74.1
	<b>2003</b>	2	****	.	.	0.0	.	0.0	.
	<b>2004</b>	3	****	.	.	31.3	± 52.6	3.8	84.1
<b>Hispanic</b>	<b>COMBINED YEARS</b>	13	****	4,792	1,246	26.0	± 25.0	8.7	56.4
	<b>2003</b>	5	****	.	.	53.0	± 46.2	15.0	87.8
	<b>2004</b>	8	****	.	.	15.2	± 27.3	2.1	60.0

\*Spanish-language interviewing began in 1999.

\*\*Refused/Unknown outcome responses have been excluded from the analysis.

\*\*\*The 'margin of (sampling) error' is equal to the standard error of the estimate multiplied by ±=1.96.

\*\*\*\*Does not meet CDCs minimum sample size criterion (i.e., N<50).

**WEIGHT CLASSIFICATION BASED ON BMI (NIH DEFINITION)**

**Response Category: OBESE**

**Population: ALL ADULTS\***

Stratum (Subgroup)		Estimated Prevalence							
		Sample Size**	Small N	Weighted Size	Number	Percent	Margin of Error*** for Percent	95% CL for Percent	
								lower	upper
<b>EITHER SEX</b>	<b>COMBINED YEARS</b>	377		94,223	17,704	18.8	± 4.3	14.9	23.5
	<b>2003</b>	183		.	.	18.6	± 6.1	13.2	25.5
	<b>2004</b>	194		.	.	19.0	± 6.0	13.7	25.7
<b>Male</b>	<b>COMBINED YEARS</b>	148		40,872	8,013	19.6	± 6.9	13.6	27.5
	<b>2003</b>	76		.	.	17.3	± 8.9	10.0	28.1
	<b>2004</b>	72		.	.	22.2	± 10.6	13.3	34.6
<b>Female</b>	<b>COMBINED YEARS</b>	229		53,351	9,691	18.2	± 5.4	13.4	24.2
	<b>2003</b>	107		.	.	19.7	± 8.4	12.6	29.4
	<b>2004</b>	122		.	.	16.8	± 6.8	11.0	24.8

\*Spanish-language interviewing began in 1999.

\*\*Refused/Unknown outcome responses have been excluded from the analysis.

\*\*\*The 'margin of (sampling) error' is equal to the standard error of the estimate multiplied by  $\pm 1.96$ .

\*\*\*\*Does not meet CDCs minimum sample size criterion (i.e.,  $N < 50$ ).

**LEISURE TIME PHYSICAL ACTIVITY OR EXERCISE IN THE PAST 30 DAYS**

Response Category: NO

Population: ALL ADULTS\*

Stratum (Subgroup)		Estimated Prevalence							
		Sample Size**	Small N	Weighted Size	Number	Percent	Margin of Error*** for Percent	95% CL for Percent	
								lower	upper
ANY RACIAL/ETHNIC CLASSIFICATION	COMBINED YEARS	398		99,478	28,037	28.2	± 5.2	23.2	33.7
	2003	193		.	.	29.3	± 7.7	22.2	37.6
	2004	205		.	.	27.1	± 7.1	20.5	34.7
Asian/Pacific Islander only, non-Hispanic	COMBINED YEARS	1	****	142	142	100.0	.	.	100.0
	2003	1	****	.	.	100.0	.	.	100.0
	2004	0	****	.	.	.	.	.	.
Black only, non-Hispanic	COMBINED YEARS	17	****	5,048	1,097	21.7	± 20.1	7.8	47.5
	2003	11	****	.	.	25.0	± 26.6	7.4	58.0
	2004	6	****	.	.	15.8	± 28.7	2.1	61.9
White only, non-Hispanic	COMBINED YEARS	362		88,600	24,360	27.5	± 5.5	22.3	33.4
	2003	174		.	.	29.4	± 8.2	21.9	38.3
	2004	188		.	.	25.5	± 7.3	18.9	33.6
Other, non-Hispanic	COMBINED YEARS	5	****	896	551	61.5	± 44.9	19.3	91.4
	2003	2	****	.	.	40.5	± 66.7	4.1	91.6
	2004	3	****	.	.	68.7	± 52.6	15.9	96.2
Hispanic	COMBINED YEARS	13	****	4,792	1,887	39.4	± 29.0	16.2	68.7
	2003	5	****	.	.	27.2	± 43.8	3.9	77.4
	2004	8	****	.	.	44.3	± 37.2	15.0	78.2

\*Spanish-language interviewing began in 1999.

\*\*Refused/Unknown outcome responses have been excluded from the analysis.

\*\*\*The 'margin of (sampling) error' is equal to the standard error of the estimate multiplied by ±=1.96.

\*\*\*\*Does not meet CDCs minimum sample size criterion (i.e., N<50).

**LEISURE TIME PHYSICAL ACTIVITY OR EXERCISE IN THE PAST 30 DAYS**  
**Response Category: NO**

**Population: ADULTS AGED 65 AND OVER\***

Stratum (Subgroup)		Estimated Prevalence							
		Sample Size**	Small N	Weighted Size	Number	Percent	Margin of Error*** for Percent	95% CL for Percent	
								lower	upper
<b>ANY RACIAL/ETHNIC CLASSIFICATION</b>	<b>COMBINED YEARS</b>	136		28,510	8,597	30.2	± 8.4	22.5	39.2
	<b>2003</b>	59		.	.	33.5	± 13.5	21.5	48.1
	<b>2004</b>	77		.	.	27.3	± 10.4	18.2	38.8
<b>Asian/Pacific Islander only, non-Hispanic</b>	<b>COMBINED YEARS</b>	0	****	0	0	.	.	.	.
	<b>2003</b>	0	****	.	.	.	.	.	.
	<b>2004</b>	0	****	.	.	.	.	.	.
<b>Black only, non-Hispanic</b>	<b>COMBINED YEARS</b>	4	****	1,264	225	17.8	± 33.1	2.2	67.7
	<b>2003</b>	3	****	.	.	26.7	± 46.9	3.2	80.0
	<b>2004</b>	1	****	.	.	0.0	.	0.0	.
<b>White only, non-Hispanic</b>	<b>COMBINED YEARS</b>	129		26,636	8,120	30.5	± 8.7	22.5	39.8
	<b>2003</b>	55		.	.	34.4	± 14.2	21.8	49.6
	<b>2004</b>	74		.	.	27.2	± 10.6	18.0	39.0
<b>Other, non-Hispanic</b>	<b>COMBINED YEARS</b>	1	****	209	0	0.0	.	0.0	.
	<b>2003</b>	0	****	.	.	.	.	.	.
	<b>2004</b>	1	****	.	.	0.0	.	0.0	.
<b>Hispanic</b>	<b>COMBINED YEARS</b>	2	****	402	253	62.8	± 64.7	9.5	96.4
	<b>2003</b>	1	****	.	.	0.0	.	0.0	.
	<b>2004</b>	1	****	.	.	100.0	.	.	100.0

\*Spanish-language interviewing began in 1999.

\*\*Refused/Unknown outcome responses have been excluded from the analysis.

\*\*\*The 'margin of (sampling) error' is equal to the standard error of the estimate multiplied by  $\pm=1.96$ .

\*\*\*\*Does not meet CDCs minimum sample size criterion (i.e.,  $N<50$ ).

**MEETING MODERATE PHYSICAL ACTIVITY RECOMMENDATION**

**Response Category: NO**

**Population: ALL ADULTS\***

Stratum (Subgroup)		Estimated Prevalence							
		Sample Size**	Small N	Weighted Size	Number	Percent	Margin of Error*** for Percent	95% CL for Percent	
								lower	upper
<b>ANY RACIAL/ETHNIC CLASSIFICATION</b>	<b>COMBINED YEARS</b>	361		91,397	41,042	44.9	± 5.9	39.1	50.9
	<b>2003</b>	177		.	.	42.3	± 8.3	34.3	50.8
	<b>2004</b>	184		.	.	47.6	± 8.3	39.5	55.9
<b>Asian/Pacific Islander only, non-Hispanic</b>	<b>COMBINED YEARS</b>	0	****	0	0	.	.	.	.
	<b>2003</b>	0	****	.	.	.	.	.	.
	<b>2004</b>	0	****	.	.	.	.	.	.
<b>Black only, non-Hispanic</b>	<b>COMBINED YEARS</b>	17	****	5,048	1,783	35.3	± 22.8	16.7	59.7
	<b>2003</b>	11	****	.	.	37.3	± 28.9	14.7	67.3
	<b>2004</b>	6	****	.	.	31.7	± 37.0	7.7	72.0
<b>White only, non-Hispanic</b>	<b>COMBINED YEARS</b>	328		80,946	35,290	43.6	± 6.1	37.5	49.8
	<b>2003</b>	160		.	.	41.8	± 8.8	33.3	50.8
	<b>2004</b>	168		.	.	45.5	± 8.5	37.1	54.2
<b>Other, non-Hispanic</b>	<b>COMBINED YEARS</b>	4	****	760	760	100.0	.	.	100.0
	<b>2003</b>	1	****	.	.	100.0	.	.	100.0
	<b>2004</b>	3	****	.	.	100.0	.	.	100.0
<b>Hispanic</b>	<b>COMBINED YEARS</b>	12	****	4,643	3,210	69.1	± 27.5	38.1	89.1
	<b>2003</b>	5	****	.	.	65.2	± 41.8	22.9	92.2
	<b>2004</b>	7	****	.	.	70.8	± 34.9	30.9	92.9

\*Spanish-language interviewing began in 1999.

\*\*Refused/Unknown outcome responses have been excluded from the analysis.

\*\*\*The 'margin of (sampling) error' is equal to the standard error of the estimate multiplied by  $\pm=1.96$ .

\*\*\*\*Does not meet CDCs minimum sample size criterion (i.e.,  $N<50$ ).

**MEETING MODERATE PHYSICAL ACTIVITY RECOMMENDATION**

Response Category: NO

Population: ADULTS AGED 65 AND OVER\*

Stratum (Subgroup)				Estimated Prevalence				
				Number	Percent	Margin of Error*** for Percent	95% CL for Percent	
	Sample Size**	Small N	Weighted Size				lower	upper
<b>COMBINED YEARS</b>	722	10	182,794	82,085	292.9	± 62.5	131.4	349.5
<b>2003</b>	354	10	.	.	286.7	± 87.9	105.2	361.1
<b>2004</b>	368	10	.	.	295.6	± 88.9	115.2	375.0

\*Spanish-language interviewing began in 1999.

\*\*Refused/Unknown outcome responses have been excluded from the analysis.

\*\*\*The 'margin of (sampling) error' is equal to the standard error of the estimate multiplied by ±=1.96.

\*\*\*\*Does not meet CDCs minimum sample size criterion (i.e., N<50).

**GENERAL HEALTH STATUS**

Response Category: FAIR/POOR

Population: ADULTS AGED 65 AND OVER\*

Stratum (Subgroup)		Estimated Prevalence							
		Sample Size**	Small N	Weighted Size	Number	Percent	Margin of Error*** for Percent	95% CL for Percent	
								lower	upper
<b>ANY RACIAL/ETHNIC CLASSIFICATION</b>	<b>COMBINED YEARS</b>	134		28,268	6,218	22.0	± 7.4	15.5	30.3
	<b>2003</b>	59		.	.	27.2	± 12.2	16.8	41.0
	<b>2004</b>	75		.	.	17.5	± 8.7	10.4	28.0
<b>Asian/Pacific Islander only, non-Hispanic</b>	<b>COMBINED YEARS</b>	0	****	0	0	.	.	.	.
	<b>2003</b>	0	****	.	.	.	.	.	.
	<b>2004</b>	0	****	.	.	.	.	.	.
<b>Black only, non-Hispanic</b>	<b>COMBINED YEARS</b>	4	****	1,264	543	43.0	± 48.7	9.4	84.6
	<b>2003</b>	3	****	.	.	64.5	± 55.2	14.0	95.3
	<b>2004</b>	1	****	.	.	0.0	.	0.0	.
<b>White only, non-Hispanic</b>	<b>COMBINED YEARS</b>	127		26,393	5,422	20.5	± 7.3	14.1	28.9
	<b>2003</b>	55		.	.	24.9	± 12.2	14.7	39.0
	<b>2004</b>	72		.	.	16.9	± 8.7	9.8	27.5
<b>Other, non-Hispanic</b>	<b>COMBINED YEARS</b>	1	****	209	0	0.0	.	0.0	.
	<b>2003</b>	0	****	.	.	.	.	.	.
	<b>2004</b>	1	****	.	.	0.0	.	0.0	.
<b>Hispanic</b>	<b>COMBINED YEARS</b>	2	****	402	253	62.8	± 64.7	9.5	96.4
	<b>2003</b>	1	****	.	.	0.0	.	0.0	.
	<b>2004</b>	1	****	.	.	100.0	.	.	100.0

\*Spanish-language interviewing began in 1999.

\*\*Refused/Unknown outcome responses have been excluded from the analysis.

\*\*\*The 'margin of (sampling) error' is equal to the standard error of the estimate multiplied by ±=1.96.

\*\*\*\*Does not meet CDCs minimum sample size criterion (i.e., N<50).

**EVER HAD PNEUMONIA VACCINATION**

Response Category: YES

Population: ADULTS AGED 65 AND OVER\*

Stratum (Subgroup)		Estimated Prevalence							
		Sample Size**	Small N	Weighted Size	Number	Percent	Margin of Error*** for Percent	95% CL for Percent	
								lower	upper
<b>ANY RACIAL/ETHNIC CLASSIFICATION</b>	<b>COMBINED YEARS</b>	131		27,222	17,091	62.8	± 9.0	53.4	71.3
	<b>2003</b>	57		.	.	65.7	± 13.4	51.4	77.7
	<b>2004</b>	74		.	.	60.3	± 12.0	47.8	71.6
<b>Asian/Pacific Islander only, non-Hispanic</b>	<b>COMBINED YEARS</b>	0	****	0	0	.	.	.	.
	<b>2003</b>	0	****	.	.	.	.	.	.
	<b>2004</b>	0	****	.	.	.	.	.	.
<b>Black only, non-Hispanic</b>	<b>COMBINED YEARS</b>	4	****	1,264	646	51.1	± 50.1	12.3	88.6
	<b>2003</b>	3	****	.	.	26.7	± 46.9	3.2	80.0
	<b>2004</b>	1	****	.	.	100.0	.	.	100.0
<b>White only, non-Hispanic</b>	<b>COMBINED YEARS</b>	125		25,600	16,086	62.8	± 9.2	53.2	71.5
	<b>2003</b>	53		.	.	68.2	± 13.5	53.4	80.0
	<b>2004</b>	72		.	.	58.5	± 12.3	45.9	70.1
<b>Other, non-Hispanic</b>	<b>COMBINED YEARS</b>	1	****	209	209	100.0	.	.	100.0
	<b>2003</b>	0	****	.	.	.	.	.	.
	<b>2004</b>	1	****	.	.	100.0	.	.	100.0
<b>Hispanic</b>	<b>COMBINED YEARS</b>	1	****	150	150	100.0	.	.	100.0
	<b>2003</b>	1	****	.	.	100.0	.	.	100.0
	<b>2004</b>	0	****	.	.	.	.	.	.

\*Spanish-language interviewing began in 1999.

\*\*Refused/Unknown outcome responses have been excluded from the analysis.

\*\*\*The 'margin of (sampling) error' is equal to the standard error of the estimate multiplied by  $\pm=1.96$ .

\*\*\*\*Does not meet CDCs minimum sample size criterion (i.e.,  $N<50$ ).



**HAD FLU SHOT IN PAST 12 MONTHS**

Response Category: YES

Population: ADULTS AGED 65 AND OVER\*

Stratum (Subgroup)		Estimated Prevalence							
		Sample Size**	Small N	Weighted Size	Number	Percent	Margin of Error*** for Percent	95% CL for Percent	
								lower	upper
ANY RACIAL/ETHNIC CLASSIFICATION	COMBINED YEARS	136		28,510	18,401	64.5	± 8.6	55.5	72.7
	2003	59		.	.	71.8	± 12.1	58.3	82.3
	2004	77		.	.	58.4	± 11.8	46.3	69.6
Asian/Pacific Islander only, non-Hispanic	COMBINED YEARS	0	****	0	0	.	.	.	.
	2003	0	****	.	.	.	.	.	.
	2004	0	****	.	.	.	.	.	.
Black only, non-Hispanic	COMBINED YEARS	4	****	1,264	1,264	100.0	.	.	100.0
	2003	3	****	.	.	100.0	.	.	100.0
	2004	1	****	.	.	100.0	.	.	100.0
White only, non-Hispanic	COMBINED YEARS	129		26,636	16,779	63.0	± 9.0	53.6	71.5
	2003	55		.	.	69.5	± 13.0	55.2	80.8
	2004	74		.	.	57.6	± 12.1	45.2	69.1
Other, non-Hispanic	COMBINED YEARS	1	****	209	209	100.0	.	.	100.0
	2003	0	****	.	.	.	.	.	.
	2004	1	****	.	.	100.0	.	.	100.0
Hispanic	COMBINED YEARS	2	****	402	150	37.2	± 64.7	3.6	90.5
	2003	1	****	.	.	100.0	.	.	100.0
	2004	1	****	.	.	0.0	.	0.0	.

\*Spanish-language interviewing began in 1999.

\*\*Refused/Unknown outcome responses have been excluded from the analysis.

\*\*\*The 'margin of (sampling) error' is equal to the standard error of the estimate multiplied by  $\pm=1.96$ .

\*\*\*\*Does not meet CDCs minimum sample size criterion (i.e.,  $N<50$ ).

**REGENCY OF CHOLESTEROL SCREENING**

**Response Category: CHECKED W/IN PAST 5 YRS**

**Population: ALL ADULTS\***

Stratum (Subgroup)		Sample Size**			Estimated Prevalence				
					Number	Percent	Margin of Error*** for Percent	95% CL for Percent	
								lower	upper
<b>ANY RACIAL/ETHNIC CLASSIFICATION</b>	<b>COMBINED YEARS</b>	273		67,872	55,536	81.8	± 5.8	75.2	87.0
	<b>2003</b>	189		.	.	78.4	± 7.5	69.9	85.1
	<b>2004</b>	84		.	.	90.0	± 7.2	80.1	95.3
<b>Asian/Pacific Islander only, non-Hispanic</b>	<b>COMBINED YEARS</b>	1	****	142	142	100.0	.	.	100.0
	<b>2003</b>	1	****	.	.	100.0	.	.	100.0
	<b>2004</b>	0	****	.	.	.	.	.	.
<b>Black only, non-Hispanic</b>	<b>COMBINED YEARS</b>	13	****	3,847	2,512	65.3	± 27.9	35.4	86.6
	<b>2003</b>	11	****	.	.	67.7	± 30.5	34.2	89.4
	<b>2004</b>	2	****	.	.	51.9	± 69.1	6.3	94.5
<b>White only, non-Hispanic</b>	<b>COMBINED YEARS</b>	249		61,092	50,365	82.4	± 6.1	75.4	87.8
	<b>2003</b>	170		.	.	79.0	± 8.0	69.8	85.9
	<b>2004</b>	79		.	.	90.6	± 7.3	80.2	95.8
<b>Other, non-Hispanic</b>	<b>COMBINED YEARS</b>	3	****	438	438	100.0	.	.	100.0
	<b>2003</b>	2	****	.	.	100.0	.	.	100.0
	<b>2004</b>	1	****	.	.	100.0	.	.	100.0
<b>Hispanic</b>	<b>COMBINED YEARS</b>	7	****	2,353	2,080	88.4	± 21.9	47.3	98.5
	<b>2003</b>	5	****	.	.	80.1	± 35.3	30.5	97.4
	<b>2004</b>	2	****	.	.	100.0	.	.	100.0

\*Spanish-language interviewing began in 1999.

\*\*Refused/Unknown outcome responses have been excluded from the analysis.

\*\*\*The 'margin of (sampling) error' is equal to the standard error of the estimate multiplied by  $\pm=1.96$ .

\*\*\*\*Does not meet CDCs minimum sample size criterion (i.e.,  $N<50$ ).

**DILATED EYE EXAM IN PAST YEAR**

Response Category: YES

Population: DIABETIC ADULTS\*

Stratum (Subgroup)					Estimated Prevalence				
					Number	Percent	Margin of Error*** for Percent	95% CL for Percent	
								lower	upper
Sample Size**	Small N	Weighted Size							
<b>ANY RACIAL/ETHNIC CLASSIFICATION</b>	<b>COMBINED YEARS</b>	28	****	6,052	5,110	84.4	± 13.8	65.4	94.0
	<b>2003</b>	11	****	.	.	90.6	± 17.5	55.0	98.7
	<b>2004</b>	17	****	.	.	80.4	± 19.7	54.0	93.5
<b>Asian/Pacific Islander only, non-Hispanic</b>	<b>COMBINED YEARS</b>	0	****	0	0	.	.	.	.
	<b>2003</b>	0	****	.	.	.	.	.	.
	<b>2004</b>	0	****	.	.	.	.	.	.
<b>Black only, non-Hispanic</b>	<b>COMBINED YEARS</b>	2	****	524	299	57.1	± 67.8	7.7	95.5
	<b>2003</b>	2	****	.	.	57.1	± 67.8	7.7	95.5
	<b>2004</b>	0	****	.	.	.	.	.	.
<b>White only, non-Hispanic</b>	<b>COMBINED YEARS</b>	24	****	4,758	4,040	84.9	± 15.2	63.1	94.9
	<b>2003</b>	9	****	.	.	100.0	.	.	100.0
	<b>2004</b>	15	****	.	.	75.1	± 23.5	46.2	91.4
<b>Other, non-Hispanic</b>	<b>COMBINED YEARS</b>	0	****	0	0	.	.	.	.
	<b>2003</b>	0	****	.	.	.	.	.	.
	<b>2004</b>	0	****	.	.	.	.	.	.
<b>Hispanic</b>	<b>COMBINED YEARS</b>	2	****	771	771	100.0	.	.	100.0
	<b>2003</b>	0	****	.	.	.	.	.	.
	<b>2004</b>	2	****	.	.	100.0	.	.	100.0

\*Spanish-language interviewing began in 1999.

\*\*Refused/Unknown outcome responses have been excluded from the analysis.

\*\*\*The 'margin of (sampling) error' is equal to the standard error of the estimate multiplied by ±=1.96.

\*\*\*\*Does not meet CDCs minimum sample size criterion (i.e., N<50).

**DILATED EYE EXAM IN PAST YEAR**

Response Category: YES

Population: DIABETIC ADULTS\*

Stratum (Subgroup)		Estimated Prevalence							
		Sample Size**	Small N	Weighted Size	Number	Percent	Margin of Error*** for Percent	95% CL for Percent	
								lower	upper
<b>EITHER SEX</b>	<b>COMBINED YEARS</b>	28	****	6,052	5,110	84.4	± 13.8	65.4	94.0
	<b>2003</b>	11	****	.	.	90.6	± 17.5	55.0	98.7
	<b>2004</b>	17	****	.	.	80.4	± 19.7	54.0	93.5
<b>Male</b>	<b>COMBINED YEARS</b>	15	****	3,441	2,811	81.7	± 20.5	53.1	94.6
	<b>2003</b>	5	****	.	.	100.0	.	.	100.0
	<b>2004</b>	10	****	.	.	73.4	± 28.8	38.6	92.4
<b>Female</b>	<b>COMBINED YEARS</b>	13	****	2,611	2,299	88.0	± 17.1	59.0	97.4
	<b>2003</b>	6	****	.	.	83.0	± 30.5	35.8	97.7
	<b>2004</b>	7	****	.	.	93.2	± 13.4	62.2	99.1

\*Spanish-language interviewing began in 1999.

\*\*Refused/Unknown outcome responses have been excluded from the analysis.

\*\*\*The 'margin of (sampling) error' is equal to the standard error of the estimate multiplied by ±1.96.

\*\*\*\*Does not meet CDCs minimum sample size criterion (i.e., N<50).

**HAD HEMOGLOBIN A1C TESTED IN PAST YEAR**

Response Category: YES

Population: DIABETIC ADULTS\*

Stratum (Subgroup)		Estimated Prevalence							
		Sample Size**	Small N	Weighted Size	Number	Percent	Margin of Error*** for Percent	95% CL for Percent	
								lower	upper
ANY RACIAL/ETHNIC CLASSIFICATION	COMBINED YEARS	24	****	5,420	4,868	89.8	± 13.3	67.1	97.4
	2003	11	****	.	.	87.5	± 22.5	47.0	98.2
	2004	13	****	.	.	91.7	± 15.7	58.4	98.9
Asian/Pacific Islander only, non-Hispanic	COMBINED YEARS	0	****	0	0	.	.	.	.
	2003	0	****	.	.	.	.	.	.
	2004	0	****	.	.	.	.	.	.
Black only, non-Hispanic	COMBINED YEARS	2	****	524	225	42.9	± 67.8	4.5	92.3
	2003	2	****	.	.	42.9	± 67.8	4.5	92.3
	2004	0	****	.	.	.	.	.	.
White only, non-Hispanic	COMBINED YEARS	20	****	4,125	4,125	100.0	.	.	100.0
	2003	9	****	.	.	100.0	.	.	100.0
	2004	11	****	.	.	100.0	.	.	100.0
Other, non-Hispanic	COMBINED YEARS	0	****	0	0	.	.	.	.
	2003	0	****	.	.	.	.	.	.
	2004	0	****	.	.	.	.	.	.
Hispanic	COMBINED YEARS	2	****	771	518	67.2	± 61.0	11.4	97.0
	2003	0	****	.	.	.	.	.	.
	2004	2	****	.	.	67.2	± 61.0	11.4	97.0

\*Spanish-language interviewing began in 1999.

\*\*Refused/Unknown outcome responses have been excluded from the analysis.

\*\*\*The 'margin of (sampling) error' is equal to the standard error of the estimate multiplied by ±=1.96.

\*\*\*\*Does not meet CDCs minimum sample size criterion (i.e., N<50).

**HAD HEMOGLOBIN A1C TESTED IN PAST YEAR**

**Response Category: YES**

**Population: DIABETIC ADULTS\***

Stratum (Subgroup)		Estimated Prevalence							
		Sample Size**	Small N	Weighted Size	Number	Percent	Margin of Error*** for Percent	95% CL for Percent	
								lower	upper
<b>EITHER SEX</b>	<b>COMBINED YEARS</b>	24	****	5,420	4,868	89.8	± 13.3	67.1	97.4
	<b>2003</b>	11	****	.	.	87.5	± 22.5	47.0	98.2
	<b>2004</b>	13	****	.	.	91.7	± 15.7	58.4	98.9
<b>Male</b>	<b>COMBINED YEARS</b>	14	****	3,336	3,336	100.0	.	.	100.0
	<b>2003</b>	5	****	.	.	100.0	.	.	100.0
	<b>2004</b>	9	****	.	.	100.0	.	.	100.0
<b>Female</b>	<b>COMBINED YEARS</b>	10	****	2,084	1,532	73.5	± 30.6	36.5	93.0
	<b>2003</b>	6	****	.	.	77.4	± 37.9	28.1	96.8
	<b>2004</b>	4	****	.	.	66.8	± 50.9	16.9	95.2

\*Spanish-language interviewing began in 1999.

\*\*Refused/Unknown outcome responses have been excluded from the analysis.

\*\*\*The 'margin of (sampling) error' is equal to the standard error of the estimate multiplied by ±1.96.

\*\*\*\*Does not meet CDCs minimum sample size criterion (i.e., N<50).

**REGENCY OF LAST MAMMOGRAM+BREAST EXAM**

**Response Category: W/IN PAST 2 YEARS**

**Population: WOMEN AGED 40 AND OVER\***

Stratum (Subgroup)		Estimated Prevalence							
		Sample Size**	Small N	Weighted Size	Number	Percent	Margin of Error*** for Percent	95% CL for Percent	
								lower	upper
<b>ANY RACIAL/ETHNIC CLASSIFICATION</b>	<b>COMBINED YEARS</b>	177		36,024	22,670	62.9	± 8.2	54.4	70.7
	<b>2003</b>	82		.	.	63.6	± 12.3	50.6	74.9
	<b>2004</b>	95		.	.	62.3	± 10.9	50.9	72.5
<b>Asian/Pacific Islander only, non-Hispanic</b>	<b>COMBINED YEARS</b>	0	****	0	0	.	.	.	.
	<b>2003</b>	0	****	.	.	.	.	.	.
	<b>2004</b>	0	****	.	.	.	.	.	.
<b>Black only, non-Hispanic</b>	<b>COMBINED YEARS</b>	8	****	2,346	888	37.9	± 35.5	11.8	73.4
	<b>2003</b>	7	****	.	.	46.1	± 39.0	15.1	80.5
	<b>2004</b>	1	****	.	.	0.0	.	0.0	.
<b>White only, non-Hispanic</b>	<b>COMBINED YEARS</b>	164		32,724	21,539	65.8	± 8.4	56.9	73.7
	<b>2003</b>	73		.	.	65.3	± 13.2	51.2	77.1
	<b>2004</b>	91		.	.	66.3	± 10.9	54.6	76.2
<b>Other, non-Hispanic</b>	<b>COMBINED YEARS</b>	3	****	551	93	16.8	± 34.3	1.7	70.1
	<b>2003</b>	1	****	.	.	100.0	.	.	100.0
	<b>2004</b>	2	****	.	.	0.0	.	0.0	.
<b>Hispanic</b>	<b>COMBINED YEARS</b>	2	****	402	150	37.2	± 64.7	3.6	90.5
	<b>2003</b>	1	****	.	.	100.0	.	.	100.0
	<b>2004</b>	1	****	.	.	0.0	.	0.0	.

\*Spanish-language interviewing began in 1999.

\*\*Refused/Unknown outcome responses have been excluded from the analysis.

\*\*\*The 'margin of (sampling) error' is equal to the standard error of the estimate multiplied by ±=1.96.

\*\*\*\*Does not meet CDCs minimum sample size criterion (i.e., N<50).

**REGENCY OF LAST MAMMOGRAM+BREAST EXAM**

**Response Category: W/IN PAST 2 YEARS**

**Population: WOMEN AGED 65 AND OVER\***

Stratum (Subgroup)		Estimated Prevalence							
		Sample Size**	Small N	Weighted Size	Number	Percent	Margin of Error*** for Percent	95% CL for Percent	
								lower	upper
<b>ANY RACIAL/ETHNIC CLASSIFICATION</b>	<b>COMBINED YEARS</b>	83		17,485	9,360	53.5	± 12.1	41.4	65.3
	<b>2003</b>	36	****	.	.	53.1	± 18.9	34.6	70.8
	<b>2004</b>	47	****	.	.	53.9	± 15.6	38.4	68.7
<b>Asian/Pacific Islander only, non-Hispanic</b>	<b>COMBINED YEARS</b>	0	****	0	0	.	.	.	.
	<b>2003</b>	0	****	.	.	.	.	.	.
	<b>2004</b>	0	****	.	.	.	.	.	.
<b>Black only, non-Hispanic</b>	<b>COMBINED YEARS</b>	4	****	1,264	299	23.7	± 41.2	3.1	75.2
	<b>2003</b>	3	****	.	.	35.5	± 55.2	4.7	86.0
	<b>2004</b>	1	****	.	.	0.0	.	0.0	.
<b>White only, non-Hispanic</b>	<b>COMBINED YEARS</b>	77		15,819	8,911	56.3	± 12.7	43.4	68.4
	<b>2003</b>	32	****	.	.	54.2	± 20.5	34.1	73.0
	<b>2004</b>	45	****	.	.	58.1	± 15.8	42.0	72.7
<b>Other, non-Hispanic</b>	<b>COMBINED YEARS</b>	0	****	0	0	.	.	.	.
	<b>2003</b>	0	****	.	.	.	.	.	.
	<b>2004</b>	0	****	.	.	.	.	.	.
<b>Hispanic</b>	<b>COMBINED YEARS</b>	2	****	402	150	37.2	± 64.7	3.6	90.5
	<b>2003</b>	1	****	.	.	100.0	.	.	100.0
	<b>2004</b>	1	****	.	.	0.0	.	0.0	.

\*Spanish-language interviewing began in 1999.

\*\*Refused/Unknown outcome responses have been excluded from the analysis.

\*\*\*The 'margin of (sampling) error' is equal to the standard error of the estimate multiplied by ±=1.96.

\*\*\*\*Does not meet CDCs minimum sample size criterion (i.e., N<50).



**HAD PAP SMEAR W/IN PAST 2 YEARS**

Response Category: YES

Population: WOMEN W/O HISTORY OF HYSTERECTOMY\*

Stratum (Subgroup)		Estimated Prevalence							
		Sample Size**	Small N	Weighted Size	Number	Percent	Margin of Error*** for Percent	95% CL for Percent	
								lower	upper
ANY RACIAL/ETHNIC CLASSIFICATION	COMBINED YEARS	190		45,327	32,734	72.2	± 8.2	63.3	79.7
	2003	89		.	.	63.4	± 12.9	49.8	75.2
	2004	101		.	.	80.1	± 9.4	68.9	87.9
Asian/Pacific Islander only, non-Hispanic	COMBINED YEARS	1	****	142	142	100.0	.	.	100.0
	2003	1	****	.	.	100.0	.	.	100.0
	2004	0	****	.	.	.	.	.	.
Black only, non-Hispanic	COMBINED YEARS	8	****	2,296	1,649	71.8	± 32.7	33.6	92.8
	2003	3	****	.	.	20.3	± 38.7	2.3	73.7
	2004	5	****	.	.	100.0	.	.	100.0
White only, non-Hispanic	COMBINED YEARS	171		39,782	28,135	70.7	± 8.9	61.1	78.8
	2003	81		.	.	64.4	± 13.7	49.8	76.7
	2004	90		.	.	77.0	± 10.8	64.4	86.0
Other, non-Hispanic	COMBINED YEARS	2	****	242	93	38.4	± 65.5	3.8	90.9
	2003	1	****	.	.	100.0	.	.	100.0
	2004	1	****	.	.	0.0	.	0.0	.
Hispanic	COMBINED YEARS	8	****	2,865	2,716	94.8	± 10.5	68.2	99.4
	2003	3	****	.	.	76.2	± 43.7	22.3	97.3
	2004	5	****	.	.	100.0	.	.	100.0

\*Spanish-language interviewing began in 1999.

\*\*Refused/Unknown outcome responses have been excluded from the analysis.

\*\*\*The 'margin of (sampling) error' is equal to the standard error of the estimate multiplied by  $\pm=1.96$ .

\*\*\*\*Does not meet CDCs minimum sample size criterion (i.e.,  $N<50$ ).

**HAD PAP SMEAR W/IN PAST 2 YEARS**

Response Category: YES

Population: WOMEN W/O HISTORY OF HYSTERECTOMY AGED 65 AND OVER\*

Stratum (Subgroup)		Estimated Prevalence							
		Sample Size**	Small N	Weighted Size	Number	Percent	Margin of Error*** for Percent	95% CL for Percent	
								lower	upper
ANY RACIAL/ETHNIC CLASSIFICATION	COMBINED YEARS	57		11,632	5,947	51.1	± 14.7	36.7	65.4
	2003	26	****	.	.	40.2	± 20.9	22.0	61.7
	2004	31	****	.	.	61.8	± 18.3	42.7	77.9
Asian/Pacific Islander only, non-Hispanic	COMBINED YEARS	0	****	0	0	.	.	.	.
	2003	0	****	.	.	.	.	.	.
	2004	0	****	.	.	.	.	.	.
Black only, non-Hispanic	COMBINED YEARS	2	****	740	421	56.9	± 67.9	7.6	95.5
	2003	1	****	.	.	0.0	.	0.0	.
	2004	1	****	.	.	100.0	.	.	100.0
White only, non-Hispanic	COMBINED YEARS	54		10,742	5,525	51.4	± 15.2	36.5	66.1
	2003	24	****	.	.	43.8	± 22.5	23.7	66.1
	2004	30	****	.	.	58.9	± 18.8	39.6	75.7
Other, non-Hispanic	COMBINED YEARS	0	****	0	0	.	.	.	.
	2003	0	****	.	.	.	.	.	.
	2004	0	****	.	.	.	.	.	.
Hispanic	COMBINED YEARS	1	****	150	0	0.0	.	0.0	.
	2003	1	****	.	.	0.0	.	0.0	.
	2004	0	****	.	.	.	.	.	.

\*Spanish-language interviewing began in 1999.

\*\*Refused/Unknown outcome responses have been excluded from the analysis.

\*\*\*The 'margin of (sampling) error' is equal to the standard error of the estimate multiplied by ±=1.96.

\*\*\*\*Does not meet CDCs minimum sample size criterion (i.e., N<50).

**HAD BST IN PAST YEAR OR SIGMOIDOSCOPY/COLONOSCOPY EVER**

Response Category: YES

Population: ADULTS AGED 50+\*

Stratum (Subgroup)		Estimated Prevalence							
		Sample Size**	Small N	Weighted Size	Number	Percent	Margin of Error*** for Percent	95% CL for Percent	
								lower	upper
<b>ANY RACIAL/ETHNIC CLASSIFICATION</b>	<b>COMBINED YEARS</b>	218		45,163	25,236	55.9	± 7.2	48.6	62.9
	<b>2003</b>	99		.	.	56.9	± 10.8	45.9	67.3
	<b>2004</b>	119		.	.	55.0	± 9.7	45.2	64.4
<b>Asian/Pacific Islander only, non-Hispanic</b>	<b>COMBINED YEARS</b>	0	****	0	0	.	.	.	.
	<b>2003</b>	0	****	.	.	.	.	.	.
	<b>2004</b>	0	****	.	.	.	.	.	.
<b>Black only, non-Hispanic</b>	<b>COMBINED YEARS</b>	7	****	1,922	586	30.5	± 37.3	7.0	71.8
	<b>2003</b>	6	****	.	.	11.0	± 21.0	1.4	51.6
	<b>2004</b>	1	****	.	.	100.0	.	.	100.0
<b>White only, non-Hispanic</b>	<b>COMBINED YEARS</b>	203		41,143	23,460	57.0	± 7.4	49.5	64.3
	<b>2003</b>	90		.	.	59.9	± 11.3	48.2	70.5
	<b>2004</b>	113		.	.	54.7	± 9.8	44.7	64.3
<b>Other, non-Hispanic</b>	<b>COMBINED YEARS</b>	4	****	804	667	83.0	± 32.2	33.1	98.0
	<b>2003</b>	1	****	.	.	0.0	.	0.0	.
	<b>2004</b>	3	****	.	.	100.0	.	.	100.0
<b>Hispanic</b>	<b>COMBINED YEARS</b>	4	****	1,294	523	40.4	± 50.6	7.7	84.8
	<b>2003</b>	2	****	.	.	100.0	.	.	100.0
	<b>2004</b>	2	****	.	.	0.0	.	0.0	.

\*Spanish-language interviewing began in 1999.

\*\*Refused/Unknown outcome responses have been excluded from the analysis.

\*\*\*The 'margin of (sampling) error' is equal to the standard error of the estimate multiplied by ±=1.96.

\*\*\*\*Does not meet CDCs minimum sample size criterion (i.e., N<50).

**HAD BST IN PAST YEAR OR SIGMOIDOSCOPY/COLONOSCOPY EVER**

Response Category: YES

Population: ADULTS AGED 65 AND OVER\*

Stratum (Subgroup)		Estimated Prevalence							
		Sample Size**	Small N	Weighted Size	Number	Percent	Margin of Error*** for Percent	95% CL for Percent	
								lower	upper
ANY RACIAL/ETHNIC CLASSIFICATION	COMBINED YEARS	122		25,160	14,771	58.7	± 9.5	49.0	67.8
	2003	50		.	.	58.1	± 15.1	42.6	72.1
	2004	72		.	.	59.2	± 12.1	46.7	70.6
Asian/Pacific Islander only, non-Hispanic	COMBINED YEARS	0	****	0	0	.	.	.	.
	2003	0	****	.	.	.	.	.	.
	2004	0	****	.	.	.	.	.	.
Black only, non-Hispanic	COMBINED YEARS	4	****	1,264	421	33.3	± 50.4	4.9	82.9
	2003	3	****	.	.	0.0	.	0.0	.
	2004	1	****	.	.	100.0	.	.	100.0
White only, non-Hispanic	COMBINED YEARS	115		23,286	13,992	60.1	± 9.7	50.0	69.4
	2003	46	****	.	.	62.4	± 15.4	46.2	76.3
	2004	69		.	.	58.4	± 12.5	45.6	70.1
Other, non-Hispanic	COMBINED YEARS	1	****	209	209	100.0	.	.	100.0
	2003	0	****	.	.	.	.	.	.
	2004	1	****	.	.	100.0	.	.	100.0
Hispanic	COMBINED YEARS	2	****	402	150	37.2	± 64.7	3.6	90.5
	2003	1	****	.	.	100.0	.	.	100.0
	2004	1	****	.	.	0.0	.	0.0	.

\*Spanish-language interviewing began in 1999.

\*\*Refused/Unknown outcome responses have been excluded from the analysis.

\*\*\*The 'margin of (sampling) error' is equal to the standard error of the estimate multiplied by  $\pm=1.96$ .

\*\*\*\*Does not meet CDCs minimum sample size criterion (i.e., N<50).

**NO. GOOD MENTAL HEALTH DAYS IN PAST MONTH**

Response Category: MEAN

Population: ALL ADULTS\*

Stratum (Subgroup)		Sample Size**	Small N	Weighted Size	Weighted Mean	Margin of Error*** for Mean	95% CL for Mean	
							lower	upper
ANY RACIAL/ETHNIC CLASSIFICATION	COMBINED YEARS	396		98,707	26.5	± 0.9	25.6	27.4
	2003	191		.	26.1	± 1.5	24.6	27.7
	2004	205		.	26.9	± 1.0	25.8	27.9
Asian/Pacific Islander only, non-Hispanic	COMBINED YEARS	1	****	142	30.0	± 0.0	30.0	30.0
	2003	1	****	.	30.0	± 0.0	30.0	30.0
	2004	0	****	.	.	.	.	.
Black only, non-Hispanic	COMBINED YEARS	17	****	5,048	26.6	± 2.1	24.4	28.7
	2003	11	****	.	26.9	± 2.1	24.7	29.0
	2004	6	****	.	26.0	± 4.7	21.3	30.8
White only, non-Hispanic	COMBINED YEARS	360		87,829	26.5	± 0.9	25.5	27.5
	2003	172		.	26.1	± 1.6	24.4	27.7
	2004	188		.	27.0	± 1.0	26.0	28.1
Other, non-Hispanic	COMBINED YEARS	5	****	896	14.6	± 14.1	0.5	28.7
	2003	2	****	.	29.6	± 0.6	28.9	30.3
	2004	3	****	.	9.4	± 15.7	-6.4	25.2
Hispanic	COMBINED YEARS	13	****	4,792	27.5	± 2.7	24.7	30.2
	2003	5	****	.	25.5	± 8.4	17.1	33.9
	2004	8	****	.	28.2	± 1.8	26.4	30.1

\*Spanish-language interviewing began in 1999.

\*\*Refused/Unknown outcome responses have been excluded from the analysis.

\*\*\*The 'margin of (sampling) error' is equal to the standard error of the estimate multiplied by  $\pm 1.96$ .

\*\*\*\*Does not meet CDCs minimum sample size criterion (i.e.,  $N < 50$ ).

**NO. GOOD MENTAL HEALTH DAYS IN PAST MONTH**

Response Category: MEAN

Population: ADULTS AGED 65 AND OVER\*

Stratum (Subgroup)		Sample Size**	Small N	Weighted Size	Weighted Mean	Margin of Error***	95% CL for Mean	
							lower	upper
ANY RACIAL/ETHNIC CLASSIFICATION	COMBINED YEARS	136		28,510	27.2	± 1.8	25.3	29.1
	2003	59		.	25.6	± 3.7	21.9	29.3
	2004	77		.	28.5	± 1.2	27.3	29.8
Asian/Pacific Islander only, non-Hispanic	COMBINED YEARS	0	****	0	.	.	.	.
	2003	0	****	.	.	.	.	.
	2004	0	****	.	.	.	.	.
Black only, non-Hispanic	COMBINED YEARS	4	****	1,264	26.4	± 4.9	21.4	31.3
	2003	3	****	.	24.6	± 6.4	18.1	31.1
	2004	1	****	.	30.0	± 0.0	30.0	30.0
White only, non-Hispanic	COMBINED YEARS	129		26,636	27.2	± 2.0	25.2	29.2
	2003	55		.	25.6	± 3.9	21.6	29.6
	2004	74		.	28.4	± 1.3	27.1	29.8
Other, non-Hispanic	COMBINED YEARS	1	****	209	30.0	± 0.0	30.0	30.0
	2003	0	****	.	.	.	.	.
	2004	1	****	.	30.0	± 0.0	30.0	30.0
Hispanic	COMBINED YEARS	2	****	402	30.0	± 0.0	30.0	30.0
	2003	1	****	.	30.0	± 0.0	30.0	30.0
	2004	1	****	.	30.0	± 0.0	30.0	30.0

\*Spanish-language interviewing began in 1999.

\*\*Refused/Unknown outcome responses have been excluded from the analysis.

\*\*\*The 'margin of (sampling) error' is equal to the standard error of the estimate multiplied by  $\pm 1.96$ .

\*\*\*\*Does not meet CDCs minimum sample size criterion (i.e.,  $N < 50$ ).

**CURRENT SMOKING**  
 Response Category: YES  
 Population: ALL ADULTS\*

Stratum (Subgroup)		Estimated Prevalence							
		Sample Size**	Small N	Weighted Size	Number	Percent	Margin of Error*** for Percent	95% CL for Percent	
								lower	upper
ANY RACIAL/ETHNIC CLASSIFICATION	COMBINED YEARS	398		99,478	22,520	22.6	± 4.8	18.2	27.8
	2003	193		.	.	26.6	± 7.4	19.8	34.6
	2004	205		.	.	18.7	± 6.1	13.3	25.7
Asian/Pacific Islander only, non-Hispanic	COMBINED YEARS	1	****	142	142	100.0	.	.	100.0
	2003	1	****	.	.	100.0	.	.	100.0
	2004	0	****	.	.	.	.	.	.
Black only, non-Hispanic	COMBINED YEARS	17	****	5,048	2,158	42.8	± 24.6	21.4	67.2
	2003	11	****	.	.	48.1	± 31.2	21.0	76.4
	2004	6	****	.	.	32.9	± 37.8	8.1	73.2
White only, non-Hispanic	COMBINED YEARS	362		88,600	19,364	21.9	± 5.1	17.2	27.4
	2003	174		.	.	24.1	± 7.7	17.3	32.7
	2004	188		.	.	19.5	± 6.6	13.7	27.1
Other, non-Hispanic	COMBINED YEARS	5	****	896	378	42.2	± 44.4	10.6	81.9
	2003	2	****	.	.	100.0	.	.	100.0
	2004	3	****	.	.	22.3	± 41.8	2.5	76.3
Hispanic	COMBINED YEARS	13	****	4,792	478	10.0	± 13.8	2.3	34.2
	2003	5	****	.	.	34.8	± 41.8	7.8	77.1
	2004	8	****	.	.	0.0	.	0.0	.

\*Spanish-language interviewing began in 1999.

\*\*Refused/Unknown outcome responses have been excluded from the analysis.

\*\*\*The 'margin of (sampling) error' is equal to the standard error of the estimate multiplied by ±=1.96.

\*\*\*\*Does not meet CDCs minimum sample size criterion (i.e., N<50).

**CURRENT SMOKING**  
 Response Category: YES

Population: ADULTS AGED 65 AND OVER\*

Stratum (Subgroup)		Estimated Prevalence							
		Sample Size**	Small N	Weighted Size	Number	Percent	Margin of Error*** for Percent	95% CL for Percent	
								lower	upper
<b>ANY RACIAL/ETHNIC CLASSIFICATION</b>	<b>COMBINED YEARS</b>	136		28,510	2,508	8.8	± 4.3	5.3	14.2
	<b>2003</b>	59		.	.	9.4	± 6.7	4.5	18.7
	<b>2004</b>	77		.	.	8.3	± 5.5	4.2	15.7
<b>Asian/Pacific Islander only, non-Hispanic</b>	<b>COMBINED YEARS</b>	0	****	0	0	.	.	.	.
	<b>2003</b>	0	****	.	.	.	.	.	.
	<b>2004</b>	0	****	.	.	.	.	.	.
<b>Black only, non-Hispanic</b>	<b>COMBINED YEARS</b>	4	****	1,264	225	17.8	± 33.1	2.2	67.7
	<b>2003</b>	3	****	.	.	26.7	± 46.9	3.2	80.0
	<b>2004</b>	1	****	.	.	0.0	.	0.0	.
<b>White only, non-Hispanic</b>	<b>COMBINED YEARS</b>	129		26,636	2,284	8.6	± 4.3	5.1	14.0
	<b>2003</b>	55		.	.	8.3	± 6.4	3.7	17.5
	<b>2004</b>	74		.	.	8.8	± 5.8	4.4	16.6
<b>Other, non-Hispanic</b>	<b>COMBINED YEARS</b>	1	****	209	0	0.0	.	0.0	.
	<b>2003</b>	0	****	.	.	.	.	.	.
	<b>2004</b>	1	****	.	.	0.0	.	0.0	.
<b>Hispanic</b>	<b>COMBINED YEARS</b>	2	****	402	0	0.0	.	0.0	.
	<b>2003</b>	1	****	.	.	0.0	.	0.0	.
	<b>2004</b>	1	****	.	.	0.0	.	0.0	.

\*Spanish-language interviewing began in 1999.

\*\*Refused/Unknown outcome responses have been excluded from the analysis.

\*\*\*The 'margin of (sampling) error' is equal to the standard error of the estimate multiplied by ±=1.96.

\*\*\*\*Does not meet CDCs minimum sample size criterion (i.e., N<50).



**BINGE DRINKING IN PAST 30 DAYS**

Response Category: YES

Population: ALL ADULTS\*

Stratum (Subgroup)					Estimated Prevalence				
					Number	Percent	Margin of Error*** for Percent	95% CL for Percent	
								lower	upper
Sample Size**	Small N	Weighted Size							
ANY RACIAL/ETHNIC CLASSIFICATION	COMBINED YEARS	396		98,885	14,673	14.8	± 4.2	11.1	19.6
	2003	193		.	.	15.4	± 6.1	10.2	22.6
	2004	203		.	.	14.2	± 5.7	9.3	21.1
Asian/Pacific Islander only, non-Hispanic	COMBINED YEARS	1	****	142	142	100.0	.	.	100.0
	2003	1	****	.	.	100.0	.	.	100.0
	2004	0	****	.	.	.	.	.	.
Black only, non-Hispanic	COMBINED YEARS	17	****	5,048	488	9.7	± 17.6	1.4	44.7
	2003	11	****	.	.	15.0	± 26.2	2.2	58.1
	2004	6	****	.	.	0.0	.	0.0	.
White only, non-Hispanic	COMBINED YEARS	360		88,007	14,044	16.0	± 4.5	11.9	21.1
	2003	174		.	.	15.8	± 6.5	10.3	23.4
	2004	186		.	.	16.2	± 6.4	10.7	23.7
Other, non-Hispanic	COMBINED YEARS	5	****	896	0	0.0	.	0.0	.
	2003	2	****	.	.	0.0	.	0.0	.
	2004	3	****	.	.	0.0	.	0.0	.
Hispanic	COMBINED YEARS	13	****	4,792	0	0.0	.	0.0	.
	2003	5	****	.	.	0.0	.	0.0	.
	2004	8	****	.	.	0.0	.	0.0	.

\*Spanish-language interviewing began in 1999.

\*\*Refused/Unknown outcome responses have been excluded from the analysis.

\*\*\*The 'margin of (sampling) error' is equal to the standard error of the estimate multiplied by  $\pm=1.96$ .

\*\*\*\*Does not meet CDCs minimum sample size criterion (i.e., N<50).